

Colonoscopy

How to prepare with GoLyteLy (same-day prep)

Your colonoscopy is scheduled for _____, _____, at _____
DAY DATE TIME

7 Days Before	5 Days Before	1 Day Before	On Procedure Day
<p>Date:</p> <ul style="list-style-type: none"> • If you take blood-thinning medicines such as Coumadin (warfarin) or Plavix (clopidogrel): <ul style="list-style-type: none"> - Call the doctor who prescribed these medicines. - Tell the doctor you are having a colonoscopy, and the date of your procedure. - Ask for special instructions for your blood-thinning medicines. • Cancellations: If you need to reschedule or cancel your test, call 206. _____. • Discharge and transportation: <ul style="list-style-type: none"> - An adult family member or friend must pick you up when you are ready to go home. You cannot drive, take a bus or taxi, or use a service such as Hopelink or Paratransit by yourself after your test. - Your test will be cancelled if you do not have an adult family member or friend to take you home. - We strongly advise that a responsible adult stay with you for the rest of the day. 	<p>Date:</p> <ul style="list-style-type: none"> • Stop eating foods that contain nuts or seeds. • Stop taking iron and any multivitamin that contains iron. • Fill your GoLyteLy prescription. • Read this handout carefully. • If you have diabetes: <ul style="list-style-type: none"> - Call the provider who manages your diabetes medicines. - Tell the provider that you are having a colonoscopy and the date of your procedure. - Ask for special instructions for your diabetes medicines. 	<p>Date:</p> <ul style="list-style-type: none"> • In the morning: <ul style="list-style-type: none"> - You may eat only items from this list: plain crackers (saltines, Melba toast, no seeds), cooked cereals (farina, cream of wheat, grits), cold cereal (corn flakes, puffed rice), white rice, noodles, or pasta. - Prepare the GoLyteLy solution by adding water to the container. Mix to dissolve. Store in the refrigerator. • After 12 noon: <ul style="list-style-type: none"> - Do not eat any solid food. • For the rest of the day, drink only clear liquids such as juice (apple, grape, or cranberry), broth, black coffee or tea, sports drinks, soda, or gelatin (green or yellow only). 	<p>Date:</p> <ul style="list-style-type: none"> • Do not eat any solid food. • 6 hours before your appointment: Start drinking the GoLyteLy at _____. Drink 8 ounces every 15 minutes for 4 hours. After you finish the GoLyteLy, drink at least 16 oz. of clear liquids of your choice. • 1 hour before or after drinking the GoLyteLy, take your morning medicines with water. • Keep drinking clear liquids until 2 hours before your appointment. • Starting 2 hours before your appointment: Do not take anything by mouth. <p>What to bring to your appointment:</p> <ul style="list-style-type: none"> • An adult family member or friend • A list of all medicines you currently take • Photo ID, insurance card, and co-pay, if needed • You will need to remove all jewelry and piercings before your colonoscopy. If you can, leave all valuables at home, or give them to your family member or friend for safekeeping.

Locations and Parking

Harborview Medical Center

GI Endoscopy Suite
Maleng Building, 8th Floor
410 Ninth Ave., Seattle, WA 98104
206.744.3519

Parking 24 hours a day, 7 days a week in the Ninth and Jefferson Garage (P2) off James and Terry.

University of Washington Medical Center

Digestive Health Center
Surgery Pavilion, 3rd Floor
1959 N.E. Pacific St., Seattle, WA 98195
206.598.4377

From N.E. Pacific St., follow signs to the Emergency Room. At the stop sign, turn left into the Surgery Pavilion Parking Garage. After parking, take the elevator to the 3rd floor. Turn right into the Digestive Health Center.

Northwest Hospital

1550 N. 115th St., Seattle, WA 98133
206.368.1770

The Endoscopy Procedure Suite is on the 1st floor of the main hospital, across from Starbucks.

Eastside Specialty Center

3100 Northup Way, Bellevue, WA 98004
425.646.7777
Free parking on site.

Seattle Cancer Care Alliance

825 Eastlake Ave. E., Seattle, WA 98109-1023
206.606.1329
The Procedure Suite is on the 2nd floor of the clinic.

Special Instructions

- **If you take medicines for diabetes:** Your medicines will need to be adjusted for the day before and the day of your colonoscopy. Talk with your diabetes care provider about what to do on these 2 days.
- **If you have severe constipation or are taking pain medicine every day:**
 - Buy a bottle of Magnesium Citrate at a drugstore.
 - 2 days before your procedure, at 8 p.m., drink the full bottle.

Online Instructions

If you have access to a computer and the internet, you can watch a slideshow on preparing for a colonoscopy at <https://youtu.be/Eqs2HLQdLEY>.

What is a colonoscopy?

A *colonoscopy* allows your doctor to look at the lining of your large intestine.

What to Expect

You will receive a *sedative* (medicine to help you relax) through an *intravenous line* (IV) placed in your vein. Most patients fall asleep. If you do not fall asleep and feel some discomfort, please tell us. We will do our best to help you be comfortable.

Your doctor will place a flexible tube into your rectum. The tube is about as wide as a finger. Your doctor may also take *biopsies* (tissue samples) or remove *polyps* (growths).

The colonoscopy takes about 30 to 45 minutes. Your appointment may last longer to allow time to prepare and recover.

Afterward, your doctor may talk with you about the results. If your results are not ready right away, we will tell you when you can expect to receive them.

Questions?

Your questions are important. Please call if you have questions or concerns. Weekdays between 8 a.m. and 5 p.m., call the clinic where your colonoscopy is scheduled. After hours and on weekends and holidays, call the Community Care Line at Harborview, 206.744.2500.