



환자교육

소화기 질환 센터



ERCP

내시경 역행 채담관 조영술 준비 안내서

주차:

- 주차는 워싱턴 대학병원 응급실 사인을 따라가시면 됩니다.
- 갈림길에서 왼쪽차선을 따라 수술별관 주차장으로 들어가십시오.
- 엘리베이터를 타고 3층으로 가십시오.
- 엘리베이터 오른쪽에 소화기 질환과가 있습니다.

수술별관 3층, 소화기 질환과로 오십시오:

날짜 _____ 시간 _____.

검사준비를 위하여 다음과 같은 지시를 따르십시오

검사 5 일전, _____ :

- 피를 묽게하는 약들, 예를들어서 아스피린, 얼리브, 아이뷰프로펜, 모트린, 나프로신, 클리노릴, 인도신, 또는 볼타린과 같은 약들의 복용을 중단 하십시오.
- 타일레놀이나 아세트아미노펜은 복용하셔도 됩니다.

검사하는 날, _____ :

- 검사 전날 자정 이후 아무것도 드시지 마십시오. 검사 받기 3 시간 전 까지는 맑은 음료수(사과나 크랜베리주스, 크림 넣지않은 커피 또는 차, 맑은 국물, 소다수)는 마셔도 됩니다.
- 아침에 일어나자마자, 1 컵의 물로 아침에 드셔야하는 약들을 드십시오.
- 현재 복용하고 계신 모든 약의 목록을 가지고 오십시오.
- 병원에서 하루밤 지내실 준비를 하십시오. 병원에 계시는 동안 복용하실 수 있도록 모든 약들을 가지고 오십시오.
- 의사 선생님께서 때로는 검사하신 당일 집에 가셔도 된다고 결정하시기도 합니다. 그럴 경우에는 집에 모셔다드릴 분이 필요합니다. 환자분이 운전하시거나 혼자서 버스 또는 택시를 타고 가시는 것은 허락되지 않습니다.

뒷면 →

질문 있으십니까?

귀하의 질문은 중요합니다.
만약 질문이나 걱정되는
점이 있으시면
연락하십시오.

주중, 오전 8 시에서
오후 5 시 사이에는
206-598-4377 로
전화하십시오.

그 외 시간은 호출기
교환수
206-598-6190 로
전화해서 당직
소화기질환 전문의
호출을 요청 하십시오.

특별 지시사항

어떻게 검사를 합니까

내시경 역행 채담관 조영술 (ERCP)이 예약되었습니다. 이것은,
담관, 쓸개와 췌장의 결석이나 협착, 외상이나 수술로 인한 누출
그리고 암과같은 증세를 진단하고 치료하는 검사입니다.

정맥주사를 통해서 안정제를 받으실 것입니다. 대부분의 환자분들은
이 검사를 하는동안 주무십니다. 의사 선생님께서 손가락 굵기의
유연한 튜브를 환자분의 입을 통해서 위와 소장애 넣을것입니다.
염색약(조영제)을 주사로 투입하고 엑스레이 사진을 찍습니다.
검사는 환자분의 호흡하는것과는 관계가 없습니다.

검사는 1 시간정도 걸릴것입니다. 검사가 끝난 후, 지켜보기 위하여
4 층남쪽 병실로 가실것입니다. 환자분이 깨어 나셨을때 의사
선생님께서 결과에 대해서 말씀하실 것입니다. 만약 결과가
검사직후 준비되어 있지 않으면 의사 선생님께서 언제쯤 연락이
갈것이라고 말씀해주실 것입니다.

UNIVERSITY OF WASHINGTON
MEDICAL CENTER
UW Medicine

Digestive Disease Center

Box 356160

1959 N.E. Pacific St. Seattle, WA 98195
206-598-4377

Patient Education

Digestive Disease Center



ERCP

How to prepare for your endoscopic retrograde cholangio-pancreatography

Directions:

- To park, follow the signs for University of Washington Medical Center Emergency Room.
- At the fork, stay on your left to enter the Surgery Pavilion Parking Garage.
- Take the elevator to the third floor.
- Turn right to the Digestive Disease Center.

Please come to the Digestive Disease Center on the third floor of the Surgery Pavilion on:

_____ at _____.

Follow These Instructions to Prepare for Your Test

Five days before your test, _____:

- Stop taking blood-thinning medicines such as aspirin, Aleve, ibuprofen, Motrin, Naprosyn, Clinoril, Indocin, or Voltaren.
- You may take Tylenol or acetaminophen.

The day of your test, _____:

- Do not eat anything after midnight. You may have clear liquids (apple or cranberry juice, coffee or tea without cream, broth, soda pop) until 3 hours before your exam. After this time, do not drink anything.
- As soon as you get up, take your morning medicines with 1 cup of water.
- Bring a list of all medicines you take.
- Be prepared to stay 1 night at the hospital. Bring all your medicines so you can take them while you are in the hospital.
- Sometimes the doctor decides that you can go home on the same day as your test. If so, you will need to have someone to take you home. You are not allowed to drive or to go home alone by bus or taxi.

Over ➔

Questions?

Your questions are important. Please call if you have questions or concerns.

Weekdays between 8 a.m. and 5 p.m. call 206-598-4377

At any other time, call the paging operator at 206-598-6190 and ask for the gastroenterologist on call.

Special instructions:

What to Expect

You are scheduled for an endoscopic retrograde cholangio-pancreatography (ERCP). This is a test to diagnose and treat conditions of the ducts of the liver, gallbladder and pancreas, such as stones, strictures, leaks from trauma or surgery, and cancer.

You will receive a sedative through your vein. Most patients fall asleep during this test. The doctor will use a flexible tube, about the size of a finger, which is placed through your mouth and into the stomach and small intestine. Dye (contrast material) is injected and X-rays are taken. The test does not get in the way of your breathing.

The test will take about 1 hour. Afterward, you will go to 4-South for observation. When you are awake, your doctor will discuss the results with you. If results are not available right after the test, the doctor will tell you when you can expect to be contacted.

UNIVERSITY OF WASHINGTON
MEDICAL CENTER
UW Medicine

Digestive Disease Center

Box 356160
1959 N.E. Pacific St. Seattle, WA 98195
206-598-4377