

# 환자 교육

별관 수술 센터



# 부인과 시술

수술 후 알아두어야 할 것들

의사 선생님께 보고해야 할 증상:

- 화씨 100° 이상의 열.
- 진통제로 조절되지 않는 통증.
- 드레싱을 시종일관 흠뻑 적시는 선홍색의 출혈.
- 절개부위의 붉은 기, 부기,
   온기, 배출액의 악취 등
   감염된 징후.
- 메스꺼움이나 구토증, 발진이나 가려움증, 아니면 배뇨의 어려움 등 진통제의 내성문제.

주의: 호흡곤란, 두드러기나 과도한 출혈과 같은 심각한 약의 반응은 즉각적인 도움을 필요로 하기도 합니다. 911로 전화를 하거나 가까운 응급실을 찾아 도움을 받으십시오.

University of	
MEDICAL	<b>CENTER</b>
UW	Medicine Medicine

<b>6</b> ]	사서새	<b>니</b> .	
$\neg$		$\Box$ .	

#### 활동

- 다음 클리닉 예약에 올 때까지 또는 \_\_\_\_ 주까지 질의 안정을 취하십시오.
- 질 안에 아무 것도 삽입하지 말고 질 세척(뒷물)이나, 탬폰사용, 성교를 피하십시오.
- 무거운 것을 들거나 복부에 힘이 가해지는 활동을 피하십시오.
- 수술 후 샤워는 할 수 있지만 드레싱을 하셨으면 24 시간 동안 건조하게 유지하십시오.

## 드레싱(거즈, 붕대 등의 상처치료재료)

• 반창고 (벤드 에이드) 드레싱을 24 시간 내에 갈아도 됩니다.

# 약

•

#### 질문 있으십니까?

206-598-5500로 전화 주십시오.

귀하의 질문은 중요합니다. 만약 질문이나 걱정되는 점이 있으면 담당 의사 선생님이나 건강관리 의료진에게 전화하십시오. 또한 워싱턴 대학 종합병원 직원들은 어느때나 도와드릴 준비가 되어 있습니다.

여성 건강 관리 센터 206-598-5500

월요일 - 금요일 오전 8시 - 오후 5시

집무시간 이후에는 206-598-6190으로 전화해서 교환수에게 부인과 서비스 당직 레지던트 (resident oncall Gynecology Service) 선생님을 호출해 달라고 부탁하십시오.

다음 예약	
□ 여성 건강관리 센터	
전화: 206-598-5500	
날짜:	_ 시간:

메모:		

# University of Washington MEDICAL CENTER UW Medicine

Pavilion Surgery Center
Box 354728
1959 N.E. Pacific St. Seattle, WA 98195

# Patient Education

**Pavilion Surgery Center** 



# **GYN Procedures**

What to expect after your operation

# Symptoms to report to the doctor:

- Fever greater than 100°F.
- Pain not controlled by the pain medication.
- Consistent bright red bleeding that saturates your dressing.
- Indications of infection at the incision site, such as redness, swelling, warmth, or foul-smelling drainage.
- Problems tolerating the pain medication, such as nausea or vomiting, rash or itching, or difficulty urinating.

Note: Severe reactions to medications such as difficulty breathing, hives, or excessive bleeding may require that you receive help right away.

Please call 911 or seek help at your local emergency room.

University of	
MEDICAL	<b>CENTER</b>
UW	<b>Medicine</b>

Doctor:			

## Activity

- Vaginal rest until your next clinic visit, or \_\_\_\_ weeks.
- Do not insert anything in the vagina, and avoid douching, tampons, or intercourse.
- Avoid heavy lifting or any activity that puts strain on your abdomen.
- You may shower after surgery, but if you have a dressing, keep it dry for 24 hours.

## Dressing

• You may change your Band-Aid dressing in 24 hours.

#### Medication

•

# **Questions?**

Call 206-598-5500

Your questions are important. Call your doctor or health care provider if you have questions or concerns. UWMC Clinic staff are also available to help at any time.

Women's Health Care Center 206-598-5500

Monday - Friday 8 a.m. - 5 p.m.

After hours, call 206-598-6190 and ask the operator to page the resident on-call for the Gynecology Service.

Follow-Up Ap	Follow-Up Appointment			
☐ Women's Health Care Center Phone: 206-598-5500				
Date:	Time:			
Notes:				



**Pavilion Surgery Center** 

Box 354728 1959 N.E. Pacific St. Seattle, WA 98195