



Información para los pacientes

El Centro de Cirugía del Pabellón



Procedimientos ginecológicos

Lo que puede esperar después de su operación

Los síntomas que debe reportar al médico:

- Fiebre mayor de 100°F.
- Dolor que no se puede controlar con los medicamentos.
- Sangrado consistente rojo vivo que empampe el vendaje.
- Señales de infección en el sitio de la incisión como enrojecimiento, hinchazón, o supuración maloliente.
- Problemas para tolerar los medicamentos para el dolor como náusea o vómitos, salpullido o comezón o dificultades para orinar.

Atención: Reacciones severas a los medicamentos como dificultades para respirar, ronchas, o sangrado excesivo, podrían necesitar ayuda de inmediato. Favor de llamar al 911 o busque ayuda en el departamento de emergencias más cercano.

Doctor: _____

Actividades

- Mantenga el descanso vaginal hasta la próxima cita en la clínica o por _____ semanas.
- No debe insertar nada en la vagina y evite lavados internos, tampones y relaciones sexuales.
- Evite levantar cosas pesadas o cualquier actividad que haga esfuerzo sobre el abdomen.
- Puede ducharse después de la cirugía, pero si tiene un vendaje, debe mantenerlo seco por 24 horas.

Vendajes

- Se puede cambiar el vendaje en 24 horas.

Medicamentos

- _____

¿Preguntas?

Llame a 206-598-5500

Sus preguntas son importantes. Llame a su médico o proveedor de atención a la salud si tiene preguntas o preocupaciones. Hay personal del UWMC a su servicio a toda hora.

Women's Health Care Center (Clínica para la salud femenina):
206-598-5500

Lunes a viernes
8 a.m. a 5 p.m.

Después de las horas de oficina, llame a 206-598-6190 y pida que el operador llame al doctor residente de turno del servicio de ginecología.

Cita de seguimiento

Women's Health Care Center
(Clínica para la salud femenina)
Teléfono: 206-598-5500

Fecha: _____ Hora: _____

Comentarios:

UNIVERSITY OF WASHINGTON
MEDICAL CENTER
UW Medicine

Pavilion Surgery Center

Box 354728

1959 N.E. Pacific St. Seattle, WA 98195



GYN Procedures

What to expect after your operation

Symptoms to report to the doctor:

- Fever greater than 100°F.
- Pain not controlled by the pain medication.
- Consistent bright red bleeding that saturates your dressing.
- Indications of infection at the incision site, such as redness, swelling, warmth, or foul-smelling drainage.
- Problems tolerating the pain medication, such as nausea or vomiting, rash or itching, or difficulty urinating.

Note: Severe reactions to medications such as difficulty breathing, hives, or excessive bleeding may require that you receive help right away.

Please call 911 or seek help at your local emergency room.

Doctor: _____

Activity

- Vaginal rest until your next clinic visit, or ____ weeks.
- Do not insert anything in the vagina, and avoid douching, tampons, or intercourse.
- Avoid heavy lifting or any activity that puts strain on your abdomen.
- You may shower after surgery, but if you have a dressing, keep it dry for 24 hours.

Dressing

- You may change your Band-Aid dressing in 24 hours.

Medication

- _____

Questions?

Call 206-598-5500

Your questions are important. Call your doctor or health care provider if you have questions or concerns. UWMC Clinic staff are also available to help at any time.

Women's Health Care Center
206-598-5500

Monday - Friday
8 a.m. - 5 p.m.

After hours, call 206-598-6190 and ask the operator to page the resident on-call for the Gynecology Service.

Follow-Up Appointment

Women's Health Care Center
Phone: 206-598-5500

Date: _____ Time: _____

Notes:
