

CT: Virtual Colonoscopy

How to prepare and what to expect

This handout explains how a virtual colonoscopy works, how to prepare for it, how it is done, what to expect, and how to get your results.

If you have questions about your exam, call the number checked here:

- UWMC - Montlake CT Technologists.....206.598.2046
- UWMC - Northwest CT Technologists.....206.668.2061
- Eastside Clinic Imaging Services.....206.598.6766

What is a CT virtual colonoscopy?

CT stands for *computed tomography*. CT scans use a special X-ray machine to take detailed pictures. A *virtual colonoscopy* is a CT exam of the colon.

CT scans show many types of tissue. Your doctor will be able to see pictures of your liver, spleen, pancreas, kidneys, lower *gastrointestinal* (digestive) tract, colon, and rectum.

How does it work?

You will lie on a table inside a CT machine. Many X-ray beams will be passed through your belly at different angles.

The X-ray tube will take pictures as it revolves around you. The pictures show cross-section images (*slices*) of the area. Your doctor will view the images on a computer.



For your exam, you will lie on a table inside a CT machine.

How do I prepare?

- *Women:* Tell your provider if you are pregnant.
- You will need to do a bowel prep before your exam.

Bowel Prep

At least 2 days before your exam, buy these items at your pharmacy:

- 2 Bisacodyl tablets (5 mg each)



A CT image of the colon

Clear Liquids

Clear liquids include:

- Gatorade, Powerade, and other sports drinks with electrolytes
- Water, tea, or coffee (no cream or milk)
- Crystal Light, Vitaminwater
- Bouillon or broth (beef, chicken, or vegetable)
- Jell-O, popsicles (no fruit or cream added)
- Apple, white grape, or white cranberry juice (no orange, tomato, prune, or grapefruit juice)
- Soda such as 7-Up, Sprite, ginger ale, cola
- Lemonade (with no pulp), iced tea
- Clear liquid protein drinks such as Ensure Clear or Resource Breeze

- Either:
 - 2 bottles of GoLYTELY (you will need a prescription)
 - Or, 2 bottles of magnesium citrate (296 mL each)

Our CT schedulers will also send to you by mail 1 bottle each of:

- Readi-CAT barium sulfate (450 mL)
- Ominpaque (iohexal) 350 mgI/mL (50 mL)

About Ominpaque

Ominpaque is a type of *contrast* (X-ray dye) that helps highlight fluid in your colon. The bottle says it is “for injection,” but it is OK to drink it.

Drink the Ominpaque the night before your exam (see Step 4 on page 3). The contrast will be in your colon by the next morning.

How to Store the Bottles

- If you like, you may refrigerate the GoLYTELY, magnesium citrate, and barium sulfate. You can also drink them at room temperature.
- Do **not** refrigerate Ominpaque. Do **not** place it in direct sunlight.

If You Have Diabetes

- Call your diabetes care provider. Ask how to change your diabetes medicine doses before the virtual colonoscopy.
- Test your blood sugar more often the day before your exam. Check it again the morning of your test. Make sure your blood sugar stays above 70. If your blood sugar gets too high or too low and you can’t bring it back to normal, call your diabetes care provider.

If You Take Blood Thinners or Anti-Platelet Medicines

Keep taking these medicines **unless your doctor tells you to stop**. Some common brands are Coumadin (warfarin), Plavix (clopidogrel), Effient (prasugrel), and Pradaxa (dabigatran).

3 Days Before

- Avoid eating foods that digest slowly. These include corn, popcorn, nuts, potato skins, fruits with skin or seeds, and raw vegetables.
- Take all of your prescribed medicines as usual.

1 Day Before: Bowel Prep Day

Drink **only clear liquids** starting 1 full day before your exam. You will also do a bowel prep on that day. *For example, if your exam is on Monday, you will start the clear liquid diet and do your bowel prep on Sunday.*

- Starting at **12 a.m. (midnight)** the day before your exam:
 - Do **not** eat any solid foods. It is OK to chew gum and suck on mints or hard candy.
 - **Have only clear liquids** for all your meals and snacks. (See a list of clear liquids on page 3.) Avoid red or purple liquids such as cranberry juice, red Jell-O, or purple sports drinks.
 - **Drink lots of clear liquids**, unless your doctor says to restrict fluids.
- On that same day, you **must** follow the **bowel prep** schedule below. If you take other medicines, take them at least 1 hour before or at least 1 hour after taking the magnesium citrate.

Bowel Prep

Do this bowel prep the day before your test, the same day that you start the clear liquid diet.

<p>STEP 1 Do this step in the morning, any time before 11 a.m.</p>	<p>Take the 2 Bisacodyl tablets with 1 full glass (8 ounces) of clear liquids. Do not chew or crush the tablets. This medicine will gently move your bowels. It helps the laxative you take in Step 2 work better. You can take these tablets and still do normal activities because they rarely cause diarrhea. Your bowels will move 6 to 8 hours after you take the tablets.</p>
<p>STEP 2 Begin this step anytime between 2 p.m. and 6 p.m. <i>Note that the later you drink this laxative, the later you may be awake having bowel movements.</i></p>	<ul style="list-style-type: none"> • Drink 1 full bottle of magnesium citrate or GoLYTELY. You should begin to have bowel movements. Be near a restroom, since you will need to visit the toilet often. • Write down the time you drink this laxative so that you know when to do Step 3. • Then drink at least 4 to 6 cups of clear liquids, before going to Step 3.

Wait at least 2 to 3 hours after you drink the first bottle of magnesium citrate or GoLYTELY before going on to Step 3.

<p>STEP 3 Do this step between 4 p.m. and 9 p.m.</p>	<ul style="list-style-type: none"> • Drink only HALF (225 mL) of the bottle of Rendi-CAT barium sulfate. Throw away the rest of the bottle. • Drink the 2nd full bottle of magnesium citrate or GoLYTELY. This is a laxative, so you will keep having bowel movements. • Write down the time you drink this laxative so that you know when to do Step 4. • Drink at least 4 to 6 cups of clear liquids before going to Step 4.
---	---

Step 4 can begin 2 to 3 hours after you drink the 2nd bottle of magnesium citrate or GoLYTELY.

<p>STEP 4 Do this step between 6 p.m. and 11 p.m.</p> <ul style="list-style-type: none"> • To open the Omnipaque bottle, twist the entire top to remove it (do not use the pull-tab). • Remove the black rubber stopper before you drink. 	<p>Drink the full bottle of Omnipaque (iohexol). You may:</p> <ul style="list-style-type: none"> • Mix it in 8 ounces of clear juice, water, or soda. • Or, drink the Omnipaque, then drink 8 ounces of clear juice, water, or soda.
--	--

After Step 4, you are done with your bowel prep. Keep drinking clear liquids until midnight.

Exam Day

- Do **not** eat or drink anything after 12 a.m. (midnight) on **the day of your exam**.
- Take your usual medicines as prescribed, with **only** small sips of water.
- **If you have not had a bowel movement or did not finish all 4 steps of the bowel prep, call CT Services at 206.598.2047.** Ask if the exam can still be done, or if we need to reschedule it for a later date.
- *Women:* If there is any chance you may be pregnant, tell the CT technologist **before** the exam begins.
- CT scans use X-rays. Because of this, you may not have a family member or friend in the CT room during the exam.

If You Have Diabetes

- Adjust your dose of insulin or diabetes pills as your diabetes care provider advised.
- Test your blood glucose level more often since you cannot eat. It is better to maintain your blood glucose than to have the exam. If your blood glucose level is low (less than 70 mg/dl) or you have symptoms of low blood sugar, drink a clear liquid that has sugar in it or take glucose tablets. Then, call 206.598.2047 to reschedule your exam.

How is the exam done?

- The CT technologist will help you get into position on the table. We will place pillows to help you hold the right position during the exam.
- The technologist will insert a small tube into your rectum. This tube allows us to place *carbon dioxide* (CO₂) gas into your bowel. The gas expands your bowel, which helps us get a clearer scan of the inside of your colon. It is normal to have a feeling of fullness from the CO₂ gas, but you should have very little discomfort.
- The technologist will then leave the room. You will be alone in the room while the scans are being done, but the technologist can see, hear, and speak with you through an intercom at all times.

- You must hold still while the table moves into the center of the scanner and when the scans are being done. The technologist will also ask you to hold your breath for a few seconds. Holding still during the scan results in the best images.
- A virtual colonoscopy usually takes 30 to 45 minutes. When the exam is over, we may ask you to wait while we check the images for quality. We may do a few more scans, if needed.

What will I feel during the exam?

- CT scans do not cause any pain. You may feel some discomfort from needing to hold still during the scans.
- The CO₂ gas may cause a little discomfort for a short time.
- For young patients, a parent may be able to stay in the room with their child to help ease fear and give comfort. The parent must wear a lead apron to limit exposure to the radiation used in the scan.

What happens after the exam?

- Return to your normal activities and diet. Your body will quickly absorb the carbon dioxide. You will have little discomfort after the exam.
- **If you have diabetes:** You may eat again and take your regular medicines. Check your blood sugar at this time. If your blood glucose level is low (less than 70 mg/dl) or you have symptoms of low blood sugar, please take glucose tablets or drink a clear liquid that has sugar in it.
- You may drive yourself home after the exam. You will not receive any medicine that will make you sleepy.

Questions?

Your questions are important. Call your doctor or healthcare provider if you have questions or concerns.

- UWMC - Montlake Imaging Services: 206.598.6200
- UW Roosevelt Radiology: 206.598.6868
- Eastside Clinic Imaging Services: 206.598.6766
- Harborview Imaging Services: 206.744.3105
- UWMC - Northwest Imaging Services CT: 206.668.2061

Who interprets the results and how do I get them?

The technologist who does the exam will not talk with you about the results. A skilled radiologist will review your images and send a detailed report to your primary care provider or referring doctor.

Your own provider will go over the results with you at your next office visit. You and your provider will decide the next step, such as treatment for a problem, as needed.

You may also read your results on your MyChart page. If you need copies of your images on disc, call 206.598.6206.