

# **Finger-Bending Exercises**

To do at home

This handout gives finger-bending exercises that will improve how your fingers move and work.

When you do these exercises:

- Do 1 long, steady pull with mild force. Do **not** do short, forceful pulls.
- Do **not** get to the point that the exercises cause pain. You should feel a stretch, but not pain.


#### **Exercise #1: Bending End Joints**

- 1. Place the palm of your affected hand on a tabletop, with the end joint of your index (pointer) finger over the edge of the table.
- 2. Using your other hand, slowly and gently bend the tip of your index finger down over the edge of the table. Keep the rest of your index finger and your palm flat on the table.

Q	Hold	the stretch for	seconds.
Ω.	11010	the stretch for	seconds.

1	Rangat	timaa	Do this avarcisa	timos a day
4	Renear	TIMAC	I IN THIS EVERGISE	timas a dav

Repeat this exercise for your middle, ring, and little fingers.




### **Exercise #2: Bending Middle Joints**

- 1. Place the palm of your affected hand on a tabletop, with the middle joint of your index finger over the edge of the table.
- 2. Using your other hand, slowly and gently bend the middle joint of your index finger down over the edge of the table. Keep the rest of your index finger and your palm flat on the table.

3.	Hold	the	stretch	for	seconds

4. Repeat \_\_\_\_\_ times. Do this exercise \_\_\_\_\_ times a day.


Repeat this exercise for your middle, ring, and little fingers.



#### **Exercise #3: Bending Base Joints (Knuckles)**


- 1. Place the palm of your affected hand on a tabletop, with the base joint of your index finger over the edge of the table.
- 2. Using your other hand, slowly and gently bend the base joint of your index finger down over the edge of the table. Keep your palm flat on the table.
- 3. Hold the stretch for \_\_\_\_\_ seconds.
- 4. Repeat \_\_\_\_\_ times. Do this exercise \_\_\_\_\_ times a day.

Repeat this exercise for your middle, ring, and little fingers.




#### **Exercise #4: Bending End and Middle Joints Only**

- 1. Place the fingers of your unaffected hand over your affected fingers.
- 2. With your unaffected hand, slowly and gently bend the middle and end joints of your affected fingers toward your palm. **Keep the base joints of your affected fingers straight while you do this.**
- 3. Hold the stretch for \_\_\_\_\_ seconds.
- 4. Repeat \_\_\_\_\_ times. Do this exercise \_\_\_\_\_ times a day.



## **Exercise #5: Bending End, Middle, and Base Joints**

- 1. Place the fingers of your unaffected hand over your affected fingers. Slowly and gently bend the base, middle, and end joints of your affected fingers toward your palm, so that they slowly form a fist (without your thumb).
- 2. Hold the stretch for \_\_\_\_\_ seconds.
- 3. Repeat \_\_\_\_\_ times. Do this exercise \_\_\_\_\_ times a day.



## **Increasing the Stretch Time**

As you get used to doing these exercises, you will be able to increase th	ıe
time you hold each stretch. Work up to holding each one for:	

• \_\_\_\_\_seconds

Or

\_\_\_\_\_ minutes

#### **Questions?**

Your questions are important. Call your doctor or healthcare provider if you have questions or concerns.

UWMC Occupational Therapy: 206.598.4830