



**UW Medicine**  
UNIVERSITY OF WASHINGTON  
MEDICAL CENTER



## 수술 이전에 피해야 할 약들

출혈문제를 예방하기 위하여 특정적인 약들이나 보충제들을 피하라고 담당의가 말할 때

이 인쇄물에는 수술을 받기 전에 피해야 할 특정적인 약들이나 보충제들의 목록이 들어 있습니다. 복용하고 있는 모든 약들을 담당의와 검토해 주십시오.



### 수술준비

출혈문제를 예방하기 위하여 담당의는 수술을 받기 전에 처방약과 비처방약과 한방약의 복용을 중단하기를 원할 수도 있습니다.

복용하고 있는 모든 약들과 보충제들을 담당의와 함께 검토하십시오.

수술받기 전에 복용하고 있는 모든 약들과 보충제들을 반드시 담당의와 검토하십시오.

주의하십시오: 혈전이나 심장마비나 뇌졸중을 예방하기 위하여 사용되는 다음과 같이 의사가 처방한 항혈소판제들은 복용을 중단하기 전에 담당의와 상담하십시오:

- Aspirin
- Clopidogrel (Plavix)
- Dipyridamole (Persantine)
- Dipyridamole/aspirin (Aggrenox)
- Prasugrel (Effluent)
- Ticagrelor (Brilinta)

주의하십시오: 의사가 처방한 아래의 항응혈제들(피를 묽게하는 약)은 복용을 중단하거나 재복용하기 전에 특별한 지시사항을 필요로 합니다. 담당의나 항응혈과에 지시사항을 문의하십시오.

- Apixaban (Eliquis)
- Dabigatran (Pradaxa)
- Dalteparin (Fragmin)
- Edoxaban (Savaysa)
- Enoxaparin (Lovenox)
- Fondaparinux (Arixtra)
- Rivaroxaban (Xarelto)
- Warfarin (Coumadin)

## 아래에 적힌 피해야 하는 제품들

환자분은 수술받기 이전과 이후 며칠 동안 다음과 같은 제품들을 피해야 할 필요가 있습니다. 담당의로부터의 구체적인 지시사항은 다음과 같습니다:

- 이 인쇄물에 적힌 제품들은 수술받기 \_\_\_\_\_일 전부터 복용하지 마십시오.
- 수술받은 \_\_\_\_\_일 이후부터 이 제품들을 다시 복용하기 시작해도 됩니다.
- 가볍게 몸이 쑤시고 아픈 경우에는 acetaminophen/Tylenol 을 복용해도 됩니다.

이 인쇄물의 명단은 완전하지 않다는 것을 주목해 주십시오. 다른 제품들이나 보충제들 또한 출혈문제를 일으킬 수도 있습니다. 특징적인 제품들에 관하여 의문점이 있으면 담당의에게 확인하십시오.

### 아스피린이나 다른 살리실산염이 함유된 처방이 필요한 진통제:

- Ascomp with codeine
- Carisoprodol compound
- Empirin with codeine
- Fiorinal
- Lanorinal
- Percodan products
- Salsalate products
- Soma products
- Trisalicylate products
- Zorprin

### 비스테로이드성 소염제가 함유되어 있는 처방이 필요한 진통제:

- Diclofenac (Volataren, Cataflam)
- Etodolac (Lodine)
- Fenoprofen (Nalfon)
- Flurbiprofen (Ansaid)
- Ibuprofen (Motrin)
- Indomethacin (Indocin)
- Ketoprofen (Orudis, Oruvail)
- Ketorolac (Toradol)
- Meclofenamate (Meclomen)
- Mefenamic acid (Ponstel)
- Meloxicam (Mobic)
- Nabumetone (Relafen)
- Naproxen (Naprosyn, Anaprox)
- Oxaprozin (Daypro)
- Piroxicam (Feldene)
- Sulindac (Clinoril)
- Tolemetin (Tolectin)

### 처방이 필요한 다른 진통제

- Celecoxib (Celebrex)
- Valdecoxib (Bextra)

□ 아스피린이나 살리실산염이 함유되어 있는 처방이 필요없는 제품들

- Alka-Seltzer products
- Anacin
- Bayer products
- Buffasal
- Bufferin
- Buffinol
- Doan's
- Durlaza
- Ecotrin
- Ecpirin
- Empirin
- Excedrin products
- Fem-prin
- Halfprin
- Miniprin
- Pain-off
- Pepto-Bismol
- Saletol
- St. Joseph Adult
- Vanquish

□ 비스테로이드성 소염제가 들어있는 처방이 필요없는 제품들:

- Advil products
- Aleve products
- Ibuprofen products
- Midol Extra Strength
- Motrin
- Naproxen

### 한약제와 다른 자연제품들

수술받기 7 일 전부터 모두 다 복용을 중단하십시오:

- 한약제
- 자연보충제
- 비타민
- 다른 보충제

담당의가 괜찮다고 하면 다시 복용을 시작해도 됩니다.

다음은 추가의 출혈을 초래할 수도 있는 음식과 허브제와 자연제품의 목록입니다. 이 제품들은 수술을 받는 분들이 복용한다면 특히 해롭습니다.

□ 수술도중과 이후에 출혈문제를 초래할 수도 있는 음식과 자연보충제와 허브제:

- Agrimony
- Alfalfa
- Aniseed
- Arnica
- Artemesia
- Asa foetida
- Bishop's weed
- Bladderwrack
- Bochu
- Bogbean
- Boldo
- Bromelains
- Burdock
- Capsicum
- Cassio
- Celery seed
- Chamomile
- Chinese wolfberry
- Chondroitin
- Clove
- Cod liver oil
- Coltsfoot
- Dandelion
- Danshen (salvia)
- Devil's claw
- Dihydroepiandrosterone (DHEA)
- Dong quai (angelica)
- Fenugreek
- Feverfew
- Fish oil
- Flax seed
- Gamma linoleic acid
- Garlic
- Ginger
- Ginkgo
- Ginseng
- Glucosamine
- Horse chestnut
- Horseradish
- Licorice
- Meadowsweet
- Melatonin
- Melilot
- Nattokinase
- Onion
- Pantethine
- Papain (papaya extract)
- Parsley
- Passionflower
- Policosanol
- Poplar
- Prickly ash
- Quassia
- Red clover
- Resveratrol
- Sea buckthorn
- Sweet clover
- Sweet woodruff
- Tonka beans
- Turmeric
- Vinpocetine
- Vitamin E
- Wild carrot
- Wild lettuce
- Willow bark

**문의사항?**

귀하의 질문은 중요합니다.  
질문이나 걱정되는 것이 있으면  
담당이나 의료제공자에게  
전화하십시오.

UWMC 외래환자 약국:  
206.598.4363

SCCA 약국: 206.288.6500

## Medicines to Avoid Before Surgery

*When your doctor tells you to avoid certain medicines or supplements, to prevent bleeding problems*

*This handout lists specific medicines and supplements that you should avoid before your surgery. Please review with your doctor all medicines that you are taking.*

### Getting Ready for Surgery

To prevent bleeding problems, your doctor may want you to stop taking some prescription, nonprescription, and herbal medicines before your surgery.

**Review with your doctor all medicines and supplements you are taking.**



*Before your surgery, make sure you review with your doctor all medicines and supplements you are taking.*

**IMPORTANT: Talk with your doctor BEFORE you stop taking these prescription anti-platelet drugs used to prevent blood clots, heart attack, or stroke:**

- Aspirin
- Clopidogrel (Plavix)
- Dipyridamole (Persantine)
- Dipyridamole/aspirin (Aggrenox)
- Prasugrel (Effluent)
- Ticagrelor (Brilinta)

**IMPORTANT: These prescription anticoagulant (blood-thinning) drugs require special instructions before you stop or restart taking them. Ask your doctor or Anticoagulation Clinic for instructions.**

- Apixaban (Eliquis)
- Dabigatran (Pradaxa)
- Dalteparin (Fragmin)
- Edoxaban (Savaysa)
- Enoxaparin (Lovenox)
- Fondaparinux (Arixtra)
- Rivaroxaban (Xarelto)
- Warfarin (Coumadin)

## **Avoid the Products Listed Below**

You will need to avoid the products listed below **in the days before and after surgery**. Here are your specific instructions from your doctor:

- Stop taking the products listed in this handout \_\_\_\_\_ days **before** your surgery.
- You may resume taking these products \_\_\_\_\_ days after your surgery.
- You may take acetaminophen (Tylenol) as needed for minor aches and pains.

**Please note that the lists in this handout are not complete.** Other products or supplements may also cause bleeding problems. Check with your doctor if you have questions about specific products.

### **Prescription pain-relief drugs that contain aspirin or other salicylates:**

- Ascomp with codeine
- Carisoprodol compound
- Empirin with codeine
- Fiorinal
- Lanorinal
- Percodan products
- Salsalate products
- Soma products
- Trisalicylate products
- Zorprin

### **Prescription pain-relief drugs that contain nonsteroidal anti-inflammatory agents:**

- Diclofenac (Volataren, Cataflam)
- Etodolac (Lodine)
- Fenoprofen (Nalfon)
- Flurbiprofen (Ansaid)
- Ibuprofen (Motrin)
- Indomethacin (Indocin)
- Ketoprofen (Orudis, Oruvail)
- Ketorolac (Toradol)
- Meclofenamate (Meclomen)
- Mefenamic Acid (Ponstel)
- Meloxicam (Mobic)
- Nabumetone (Relafen)
- Naproxen (Naprosyn, Anaprox)
- Oxaprozin (Daypro)
- Piroxicam (Feldene)
- Sulindac (Clinoril)
- Tolemetin (Tolectin)

### **Other prescription pain-relief drugs:**

- Celecoxib (Celebrex)
- Valdecoxib (Bextra)

❑ **Nonprescription products that contain aspirin or salicylate:**

- Alka-Seltzer products
- Anacin
- Bayer products
- Buffasal
- Bufferin
- Buffinol
- Doan's
- Durlaza
- Ecotrin
- Ecpirin
- Empirin
- Excedrin products
- Fem-prin
- Halfprin
- Miniprin
- Pain-off
- Pepto-Bismol
- Saleto
- St. Joseph Adult
- Vanquish

❑ **Nonprescription products that contain nonsteroidal anti-inflammatory drugs:**

- Advil products
- Aleve products
- Ibuprofen products
- Midol Extra Strength
- Motrin
- Naproxen

## **Herbal Products and Other Natural Supplements**

**Starting 7 days before your surgery, stop taking ALL:**

- Herbal products
- Natural supplements
- Vitamins
- Other supplements

You may start taking them again when your doctor says it is OK.

On the next page is a list of foods, herbs, and natural products that may cause extra bleeding. **These products are especially harmful to take if you are having surgery.**

❑ **Foods, natural supplements, and herbs that may cause bleeding problems during and after surgery:**

- Agrimony
- Alfalfa
- Aniseed
- Arnica
- Artemesia
- Asa foetida
- Bishop's weed
- Bladderwrack
- Bochu
- Bogbean
- Boldo
- Bromelains
- Burdock
- Capsicum
- Cassio
- Celery seed
- Chamomile
- Chinese wolfberry
- Chondroitin
- Clove
- Cod liver oil
- Coltsfoot
- Dandelion
- Danshen (salvia)
- Devil's claw
- Dihydroepiandrosterone (DHEA)
- Dong quai (angelica)
- Fenugreek
- Feverfew
- Fish oil
- Flax seed
- Gamma linoleic acid
- Garlic
- Ginger
- Ginkgo
- Ginseng
- Glucosamine
- Horse chestnut
- Horseradish
- Licorice
- Meadowsweet
- Melatonin
- Melilot
- Nattokinase
- Onion
- Pantethine
- Papain (papaya extract)
- Parsley
- Passionflower
- Policosanol
- Poplar
- Prickly ash
- Quassia
- Red clover
- Resveratrol
- Sea buckthorn
- Sweet clover
- Sweet woodruff
- Tonka beans
- Turmeric
- Vinpocetine
- Vitamin E
- Wild carrot
- Wild lettuce
- Willow bark

## Questions?

Your questions are important. Call your doctor or healthcare provider if you have questions or concerns.

UWMC Outpatient Pharmacy:  
206.598.4363

SCCA Pharmacy:  
206.288.6500